
## **Adams County, IL**

Part of the SE 1/4 of Section 33, Township 2 S, Range 8 W, 4th Prime Meridian, Adams County, Illinois


Tax ID: 200138800000



# Ameren - Illinois Rivers



For discussion purposes only. All measurements and distances are approximations and pend final survey and engineering.



FARR, KIMBERLY ANN

Tract No.:ILRP\_QM\_AD\_029

Date: 4/2/2014

AMEREN TRANSMISSION ILLINOIS RIVERS PROJECT QUINCY TO MEREDOSIA 345 KV TRANSMISSION LINE ATXI Exhibit 2.3 Part B
Page 7 of 13 ILRP\_QM\_AD\_029
SAM, Inc. Job No. 32359
Page 1 of 7

#### EXHIBIT "A"

#### TRACT 1

A 9.003 ACRE TRACT OF LAND SITUATED IN THE SOUTHEAST 1/4 OF SECTION 33, TOWNSHIP 2 SOUTH, RANGE 8 WEST OF THE 4TH PRINCIPAL MERIDIAN, ADAMS COUNTY, ILLINOIS AND BEING PART OF A TRACT OF LAND DESCRIBED IN DEED TO KIMBERLY A. FARR F/K/A KIMBERLY ANN MAPLE, RECORDED IN BOOK 512, PAGE 1313 OF THE DEED RECORDS OF ADAMS COUNTY, ILLINOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

**BEGINNING** AT A 5/8-INCH IRON ROD FOUND IN THE SOUTHWEST RIGHT-OF-WAY LINE OF INTERSTATE 172 (VARIABLE WIDTH RIGHT-OF-WAY), SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1160522.48, E:1972292.51;

**THENCE** SOUTH 05 DEGREES 04 MINUTES 27 SECONDS EAST, ALONG SAID SOUTHWEST RIGHT-OF-WAY LINE, A DISTANCE OF 134.16 FEET TO A POINT FOR CORNER;

**THENCE** SOUTH 07 DEGREES 31 MINUTES 32 SECONDS EAST, CONTINUING ALONG SAID SOUTHWEST RIGHT-OF-WAY LINE, A DISTANCE OF 133.74 FEET TO A POINT FOR CORNER, FROM WHICH A 3 1/2-INCH BRASS DISC MONUMENT FOUND AT THE SOUTHEAST CORNER OF SAID SECTION 33 BEARS SOUTH 04 DEGREES 14 MINUTES 53 SECONDS EAST, A DISTANCE OF 304.58 FEET;

**THENCE** NORTH 37 DEGREES 27 MINUTES 49 SECONDS WEST, LEAVING SAID SOUTHWEST RIGHT-OF-WAY LINE, A DISTANCE OF 150.92 FEET TO A POINT FOR CORNER;

**THENCE** NORTH 36 DEGREES 53 MINUTES 40 SECONDS WEST, A DISTANCE OF 674.55 FEET TO A POINT FOR CORNER;

THENCE NORTH 33 DEGREES 31 MINUTES 49 SECONDS WEST, A DISTANCE OF 851.68 FEET TO A POINT FOR CORNER;

THENCE NORTH 34 DEGREES 18 MINUTES 13 SECONDS WEST, A DISTANCE OF 849.52 FEET TO A POINT FOR CORNER;

**THENCE** NORTH 34 DEGREES 16 MINUTES 04 SECONDS WEST, A DISTANCE OF 394.12 FEET TO A POINT FOR CORNER IN THE NORTH LINE OF SAID SOUTHEAST 1/4, FROM WHICH A 5/8-INCH IRON ROD WITH A RED CAP STAMPED "IL PLS 35-2931" FOUND AT THE WEST 1/4 CORNER OF SAID SECTION 33 BEARS NORTH 88 DEGREES 42 MINUTES 18 SECONDS WEST, A DISTANCE OF 3,520.85 FEET;

**THENCE** SOUTH 88 DEGREES 34 MINUTES 32 SECONDS EAST, ALONG SAID NORTH LINE, A DISTANCE OF 158.06 FEET TO A POINT FOR CORNER IN SAID SOUTHWEST RIGHT-OF-WAY LINE;

**THENCE** SOUTH 17 DEGREES 13 MINUTES 16 SECONDS EAST, ALONG SAID SOUTHWEST RIGHT-OF-WAY LINE, A DISTANCE OF 60.33 FEET TO A POINT FOR CORNER;

**THENCE** SOUTH 49 DEGREES 38 MINUTES 13 SECONDS EAST, CONTINUING ALONG SAID SOUTHWEST RIGHT-OF-WAY LINE, A DISTANCE OF 148.32 FEET TO A POINT FOR CORNER;

THENCE SOUTH 34 DEGREES 16 MINUTES 04 SECONDS EAST, LEAVING SAID SOUTHWEST RIGHT-OF-WAY LINE, A DISTANCE OF 68.14 FEET TO A POINT FOR CORNER IN SAID SOUTHWEST RIGHT-OF-WAY LINE;

**THENCE** SOUTHEASTERLY, ALONG SAID SOUTHWEST RIGHT-OF-WAY LINE, THE FOLLOWING THREE (3) COURSES AND DISTANCES:

AMEREN TRANSMISSION ILLINOIS RIVERS PROJECT QUINCY TO MEREDOSIA 345 KV TRANSMISSION LINE

# ATXI Exhibit 2.3 Part B Page 8 of 13 ILRP\_QM\_AD\_029 SAM, Inc. Job No. 32359

AM, Inc. Job No. 32359 Page 2 of 7

#### EXHIBIT "A"

SOUTH 32 DEGREES 33 MINUTES 29 SECONDS EAST, PASSING A 1/2-INCH IRON ROD FOUND AT A DISTANCE OF 238.86 FEET AND CONTINUING FOR A TOTAL DISTANCE OF 338.79 FEET TO A 5/8-INCH IRON ROD FOUND IN SAID RIGHT-OF-WAY LINE;

SOUTH 34 DEGREES 42 MINUTES 20 SECONDS EAST, A DISTANCE OF 450.00 FEET TO A 5/8-INCH IRON ROD FOUND IN SAID RIGHT-OF-WAY LINE;

SOUTH 38 DEGREES 31 MINUTES 11 SECONDS EAST, A DISTANCE OF 96.83 FEET TO A POINT FOR CORNER;

**THENCE** SOUTH 33 DEGREES 31 MINUTES 49 SECONDS EAST, LEAVING SAID SOUTHWEST RIGHT-OF-WAY LINE, A DISTANCE OF 846.61 FEET TO A POINT FOR CORNER:

THENCE SOUTH 36 DEGREES 53 MINUTES 40 SECONDS EAST, A DISTANCE OF 8.46 FEET TO A POINT FOR CORNER IN SAID SOUTHWEST RIGHT-OF-WAY LINE;

**THENCE** SOUTHEASTERLY, ALONG SAID SOUTHWEST RIGHT-OF-WAY LINE, THE FOLLOWING FOUR (4) COURSES AND DISTANCES:

SOUTH 23 DEGREES 04 MINUTES 13 SECONDS EAST, A DISTANCE OF 121.00 FEET TO A POINT FOR CORNER;

SOUTH 48 DEGREES 44 MINUTES 42 SECONDS EAST, A DISTANCE OF 82.46 FEET TO A POINT FOR CORNER;

SOUTH 36 DEGREES 57 MINUTES 08 SECONDS EAST, A DISTANCE OF 255.10 FEET TO A POINT FOR CORNER;


SOUTH 36 DEGREES 41 MINUTES 32 SECONDS EAST, A DISTANCE OF 128.75 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 392,181 SQUARE FEET OR 9.003 ACRES OF LAND, MORE OR LESS.


BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), WEST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.

MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR REGISTRATION NO. 035-002683 STATE OF ILLINOIS PROFESSIONAL


DESIGN FIRM LICENSE NO. 184.006475

DATE: 03/31/2014





FN: D 1632 ILRP\_QM\_AD\_029.DWG



ADAMS COUNTY, ILLINOIS

P.O.B. POINT OF BEGINNING P.O.R. POINT OF REFERENCE R.O.W. **RIGHT-OF-WAY** 


5/8" IRON ROD FOUND (UNLESS OTHERWISE NOTED)

3-1/2" BRASS DISC ◉ MONUMENT FOUND Δ CALCULATED POINT **SECTION LINE** 

SUBJECT PROPERTY LINE

PROPERTY LINE PROPOSED EASEMENT CENTERLINE

PROPOSED EASEMENT



MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR NO. 035-002683 - STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184.006475 - STATE OF ILLINOIS

#### NOTES:

- THIS EXHIBIT DOES NOT REFLECT ANY UNDERGROUND UTILITIES, EASEMENT OF RECORD OR OTHER ENCUMBRANCES THAT MAY AFFECT THE SUBJECT TRACT.
- REFERENCE IS MADE TO THE DESCRIPTION DATE ACCOMPANYING OF FVFN THIS SKETCH.

**SHEET 04 OF 07** 

PROJECT: ILLINOIS RIVERS JOB NUMBER: 32359

DATE: 03/31/2014

TRACT ID: ILRP\_QM\_AD\_029

SCALE: 1"=300' TRANSMISSION DRAWN BY: JDD



Ph: (214) 631-7888 Fax: (214) 631-7103 EMAIL: SAM@SAMINC.BIZ

150' TRANSMISSION LINE EASEMENT

QUINCY TO MEREDOSIA SECTION 33, TOWNSHIP 2 SOUTH, RANGE 8 WEST OF THE 4TH PRINCIPAL MERIDIAN ADAMS COUNTY, ILLINOIS

ILRP\_QM\_AD\_029.DWG FN: D 1632

AMEREN TRANSMISSION ILLINOIS RIVERS PROJECT QUINCY TO MEREDOSIA 345 KV TRANSMISSION LINE ATXI Exhibit 2.3 Part B
Page 11 of 13 ILRP\_QM\_AD\_029
SAM, Inc. Job No. 32359

Page 5 of 7

#### EXHIBIT "A"

#### TRACT 2

A 0.003 ACRE TRACT OF LAND SITUATED IN THE SOUTHEAST 1/4 OF SECTION 33, TOWNSHIP 2 SOUTH, RANGE 8 WEST OF THE 4TH PRINCIPAL MERIDIAN, ADAMS COUNTY, ILLINOIS AND BEING PART OF A TRACT OF LAND DESCRIBED IN DEED TO KIMBERLY A. FARR F/K/A KIMBERLY ANN MAPLE, RECORDED IN BOOK 512, PAGE 1313 OF THE DEED RECORDS OF ADAMS COUNTY, ILLINOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

**BEGINNING** AT A POINT IN THE EAST LINE OF SAID SOUTHEAST 1/4, FROM WHICH A 3 1/2-INCH BRASS DISC MONUMENT FOUND AT THE SOUTHEAST CORNER OF SAID SECTION 33 BEARS SOUTH 01 DEGREES 25 MINUTES 50 SECONDS WEST, A DISTANCE OF 265.73 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1160218.15, E:1972351.09;

**THENCE** NORTH 37 DEGREES 27 MINUTES 49 SECONDS WEST, LEAVING SAID EAST LINE, A DISTANCE OF 24.60 FEET TO A POINT FOR CORNER IN THE SOUTHWEST RIGHT-OF-WAY LINE OF INTERSTATE 172 (VARIABLE WIDTH RIGHT-OF-WAY), FROM WHICH A 5/8-INCH IRON ROD FOUND IN SAID SOUTHWEST RIGHT-OF-WAY LINE BEARS NORTH 08 DEGREES 42 MINUTES 23 SECONDS WEST, A DISTANCE OF 288.11 FEET;

THENCE SOUTH 88 DEGREES 03 MINUTES 47 SECONDS EAST, ALONG SAID SOUTHWEST RIGHT-OF-WAY LINE, A DISTANCE OF 15.45 FEET TO A POINT FOR CORNER IN SAID EAST LINE:


THENCE SOUTH 01 DEGREES 25 MINUTES 50 SECONDS WEST, ALONG SAID EAST LINE, A DISTANCE OF 19.01 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 147 SQUARE FEET OR 0.003 OF AN ACRE OF LAND, MORE OR LESS.

BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), WEST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.

MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR REGISTRATION NO. 035-002683 STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184.006475

DATE: 03/31/2014






FN: D\_1632 ILRP\_QM\_AD\_029.DWG

### EXHIBIT "A"

LINE TABLE		
NUMBER	BEARING	DISTANCE
L1	S05°04'27"E	134.16'
L2	S07°31'32"E	133.74'
L3	N37°27'49"W	150.92'
L4	N36°53'40"W	674.55'
L5	N33°31'49"W	851.68'
L6	N34°18'13"W	849.52
L7	N34°16'04"W	394.12'
L8	S88°34'32"E	158.06'
L9	S17°13'16"E	60.33'
L10	S49°38'13"E	148.32'
L11	S34°16'04"E	68.14'
L12	S32'33'29"E	338.79'

LINE TABLE		
NUMBER	BEARING	DISTANCE
L13	S34°42'20"E	450.00'
L14	S38'31'11"E	96.83'
L15	S33'31'49"E	846.61
L16	S36*53'40"E	8.46'
L17	S23°04'13"E	121.00'
L18	S48'44'42"E	82.46'
L19	S36*57'08"E	255.10'
L20	S36'41'32"E	128.75
L21	S04°14'53"E	304.58'
L22	N37°27'49"W	24.60'
L23	S88°03'47"E	15.45'
L24	S01°25'50"W	19.01'



MICHAEL W. GERBERICK
PROFESSIONAL LAND SURVEYOR
NO. 035-002683 - STATE OF ILLINOIS
PROFESSIONAL DESIGN FIRM

LICENSE NO. 184.006475 - STATE OF ILLINOIS

#### **NOTES:**

- 1. THIS EXHIBIT DOES NOT REFLECT ANY UNDERGROUND UTILITIES, EASEMENT OF RECORD OR OTHER ENCUMBRANCES THAT MAY AFFECT THE SUBJECT TRACT.
- REFERENCE IS MADE TO THE DESCRIPTION OF EVEN DATE ACCOMPANYING THIS SKETCH.

**SHEET 07 OF 07** 

PROJECT: ILLINOIS RIVERS

JOB NUMBER: 32359 DATE: 03/31/2014

SCALE: NOT TO SCALE
TRACT ID: ILRP\_QM\_AD\_029

DRAWN BY: JDD





826 Cheshire Court #1, Freeport, IL 61032 Ph: (214) 631-7888 Fax: (214) 631-7103 EMAIL: SAM@SAMINC.BIZ 150' TRANSMISSION LINE EASEMENT

QUINCY TO MEREDOSIA SECTION 33, TOWNSHIP 2 SOUTH, RANGE 8 WEST OF THE 4TH PRINCIPAL MERIDIAN ADAMS COUNTY, ILLINOIS